

Applications

- Designed for making short-term outdoor measurements.
- Ensure protection against the weather effects of: wind, rain, humidity and against birds and insects.

User friendly

- Easy to calibrate

Features

Fulfils IEC 60651 Type 1 when using the CESVA sound level meters Type 1:

- Microphone C-130 + preamplifier PA-13
- Microphone C-250 + preamplifier PA-14

The Outdoor Microphone Kit **TK-1000** is the perfect solution for short-term outdoor measurements covering periods from a few days to several weeks.

It includes several weather protections like a windscreen and a rain cover designed to preserve the excellent acoustical response of the microphone C-130 y C-250. It also includes four stainless steel bird spikes to prevent birds from sitting on top of the windscreen. To prevent the TK-1000 from humidity a desiccator with colour indicator is included (it turns from orange to transparent after absorbing moisture).

All these elements ensure protection against weather agents like wind, rain, birds, insects and humidity.

The **TK-1000** used with CESVA type 1 Sound Level Meters fulfils IEC 60651 Type 1.

The **TK-1000** includes a tripod and carrying case.





Rain cover



Desiccator



Birdspikes



Windscreen



Included parts

The TK-1000 includes:

- An open-pore polyurethane WINDSCREEN.
- ANTI-BIRD SPIKES stainless steel with rubber protectors
- RAIN COVER special design.
- DESICCATOR of silica gel with colour indicator:
Orange → OK
Transparent → must be regenerated (dry-off)
- Tripod
- Carrying case


Dimensions

Diameter at base :	40 mm
Diameter at widest point :	75 mm
Length:	360 mm


Weight

245 g


Influence of the rain cover on the microphone response



Influence of the windscreen on the microphone response



Influence of the TK-1000 on the microphone response



The characteristics, technical specifications and accessories may vary without prior notice